## Contents

No. 1-2 1-328 issued August 1991 No. 3 329-490 issued September 1991

Aalen RB → Klemsdal SS 9 Alonso JC, Stiege AC: Molecular analysis of the Bacillus subtilis recF function 393 Angelis K → Miyazaki J 329 Angermüller S → Landau-Ellis D 221 Apirion D → Chauhan AK 49 Arimura H → Tatsumi H 97 Arndt E → Scholzen T 70 Auchincloss AH → Brown GG 345 Averbeck D → Cundari E 335 Aviv D → Perl A 193

Baev N, Endre G, Petrovics G, Banfalvi Z, Kondorosi A: Six nodulation genes of nod box locus 4 in Rhizobium meliloti are involved in nodulation signal production: nod M codes for D-glucosamine synthetase 113

Bamford DH → Lyra C 65 Banfalvi Z → Baev N 113

Barbet N → Broughton BC 470

Bauer CE, Buggy JJ, Yang Z, Marrs BL: The superoperonal organization of genes for pigment biosynthesis and reaction center proteins is a conserved feature in Rhodobacter capsulatus: analysis of overlapping bch B and puh A transcripts 433 Bautz EKF → Seifarth W 424

Bégueret J → Turc B 265

Behrens M, Michaelis G, Pratje E: Mitochondrial inner membrane protease 1 of Saccharomyces cerevisiae shows sequence similarity to the Escherichia coli leader peptidase 167

Berg DE → Lodge JK 312

Biezen EA van der → Rommens CMT 453

Bisseling T → Govers F 160

Blonstein AD, Stirnberg P, King PJ: Mutants of Nicotiana plumbaginifolia with specific resistance to auxin 361

Bockrath R → Li BH 249

Bownes M, Lineruth K, Mauchline D: Egg production and fertility in Drosophila depend upon the number of yolk-protein gene copies 324

Bownes M → Lidell S 81

Brčić-Kostić K, Salaj-Šmic E, Maršić N, Kajić S, Stojiljković I, Trgovčević Ž: Interaction of RecBCD enzyme with DNA damaged by gamma radiation 136

Broughton BC, Barbet N, Murray J, Watts FZ, Koken MHM, Lehmann AR, Carr AM: Assignment of ten DNA repair genes from Schizosaccharomyces pombe to chromosomal Not I restriction fragments 470

Brown GG, Auchincloss AH, Covello PS, Gray MW, Menassa R, Singh M: Characterization of transcription initiation sites on the soybean mitochondrial genome allows identification of a transcription-associated sequence motif 345

Buggy JJ → Bauer CE 433

Caballero JL, Malpartida F, Hopwood DA: Transcriptional organization and regulation of an antibiotic export complex in the producing Streptomyces culture 372

Caboche M → Pouteau S 233 Carr AM → Broughton BC 470 Caten CE → Cooley RN 17

Chakraborty T → Wuenscher MD 177 Charles I → Garbe T 385

Chauhan AK, Apirion D: The rne gene is the structural gene for the processing endoribonuclease RNase E of Escherichia coli 49

Chelm BK → Scott-Craig JS 356 Christopher DA → Stevenson JK 183 Connerton IF → Sandeman RA 445 Cooley RN, Caten CE: Variation in electrophoretic karyotype between strains of

Septoria nodorum 17 Copertino DW → Stevenson JK 183

Covello PS → Brown GG 345 Crétin C → Luchetta P 473

Cundari E, Dardalhon M, Rousset S, Averbeck D: Repair of 8-methoxypsoralen photoinduced cross-links in yeast. Analysis by alkaline step-elution and electron microscopy 335

Cunningham C, McPherson CA, Martin J, Harris WJ, Flint HJ: Sequence of a cellulase gene from the rumen anaerobe Ruminococcus flavefaciens 17 320

Dardalhon M → Cundari E 335 Datta P → Schweizer HP 125 Deleu C → Turc B 265 Denayrolles M → Turc B 265 Dianov GL, Kuzminov AV, Mazin AV, Salganik RI: Molecular mechanisms of deletion formation in Escherichia coli plasmids. I. Deletion formation mediated by long direct repeats 153

Dianov GL → Mazin AV 209 Dimitriadis G → Garbe T 385 Dodd H → Horn N 129 Dougan G → Garbe T 385

Drager RG → Stevenson JK 183

Endre G → Baev N 113 Erratum 328

Feder JN → Gallie DR 258 Feenstra WJ → Leij FR van der 240 Ferrero I → Goffrini P 401 Fincham JRS → Sandeman RA 445 Flint HJ → Cunningham C 320 Freudl R → Overhoff B 417 Fridovich I → Imlay JA 410 Frisch DA, Tommey AM, Gengenbach

BG, Somers DA: Direct genetic selection of a maize cDNA for dihydrodipicolinate synthase in an Escherichia coli dap A auxotroph 287

Fujimoto H → Kyozuka J 40

Gadal P → Luchetta P 473 Gaisne M → Verdière J 300 Gallie DR, Feder JN, Schimke RT, Walbot V: Post-transcriptional regulation in

higher eukaryotes: The role of the reporter gene in controlling expression 258

Galun E → Perl A 193

Garbe T, Servos S, Hawkins A, Dimitriadis G, Young D, Dougan G, Charles I: The Mycobacterium tuberculosis shikimate pathway genes: Evolutionary relationship between biosynthetic and catabolic 3-dehydroquinases 385

Gasson M → Horn N 129 Gengenbach BG → Frisch DA 287 Goebel W → Wuenscher MD 177 Goffrini P, Wésolowski-Louvel M, Ferrero I: A phosphoglucose isomerase gene is involved in the Rag phenotype of the yeast Kluyveromyces lactis 401

Govers F, Harmsen H, Heidstra R, Michielsen P, Prins M, Kammen A van, Bisseling T: Characterization of the pea ENOD12B gene and expression analyses of the two ENOD12 genes in nodule, stem and flower tissue 160

Grandbastien M-A → Pouteau S 233 Gray MW → Brown GG 345 Gresshoff PM → Landau-Ellis D 221 Guerinot ML → Scott-Craig JS 356

Haack H, Hodgkin J: Test for parental imprinting in the nematode Caenorhabditis elegans 482

Hallick RB → Stevenson JK 183 Harmsen H → Govers F 160 Harris WJ → Cunningham C 320 Hawkins A → Garbe T 385

Heidstra R → Govers F 160 Hille J → Rommens CMT 453 Hobman JL → Peters SE 294

Hodgkin J → Haack H 482 Hopwood DA → Caballero JL 372 Horn N, Swindell S, Dodd H, Gasson M: Nisin biosynthesis genes are encoded by

a novel conjugative transposon 129 Houck CM → Martineau B 281 Huet J → Seifarth W 424

Hughes W → Klemsdal SS 9 Hynes MJ → Sandeman RA 445

Imlay JA. Fridovich I: Isolation and genetic analysis of a mutation that suppresses the auxotrophies of superoxide dismutase-deficient Escherichia coli K12 410

Inoue H → Ichii C 33 Ishida Y → Tatsumi H 97

Ishii C, Nakamura K, Inoue H: A novel phenotype of an excision-repair mutant in Neurospora crassa: Mutagen sensitivity of the mus-18 mutant is specific to UV 33

Ito K → Okamoto S 24

Izawa T → Kyozuka J 40

Jacobsen E → Leij FR van der 240 Jenkins KP → Stevenson JK 183 Juricek M → Miyazaki J 329

Kajić S → Brčić-Kostić K 136 Kammen A van → Govers F 160 Kawabe H → Tatsumi H 97 King PJ → Blonstein AD 361 Klein M → Overhoff B 417 Kleinhofs A → Miyazaki J 329 Klemsdal SS, Hughes W, Lönneborg A, Aalen RB, Olsen OA: Primary structure of a novel barley gene differentially expressed in immature aleurone layers 9 Köhler S → Wuenscher MD 177 Koken MHM → Broughton BC 470 Kondorosi A → Baev N 113 Kontermann R → Seifarth W 424 Kuzminov AV → Dianov GL 153 Kuzminov AV → Mazin AV 209 Kwasniewski M → Li BH 249 Kyozuka J, Fujimoto H, Izawa T, Shimamoto K: Anaerobic induction and tissuespecific expression of maize Adh 1 promoter in transgenic rice plants and their progeny 40

Labbe-Bois R → Verdière J 300 Landau-Ellis D, Angermüller S, Shoemaker R, Gresshoff PM: The genetic locus controlling supernodulation in soybean (*Glycine max* L.) co-segregates tightly with a cloned molecular marker 221 Lehmann AR → Broughton BC 470

Lenmann AR → Broughton BC 4/0

Leij FR van der, Visser RGF, Ponstein AS,
Jacobsen E, Feenstra WJ: Sequence of
the structural gene for granule-bound
starch synthase of potato (Solamum tuberosum L.) and evidence for a single
point deletion in the amf allele 240

Li BH, Kwasniewski M, Bockrath R: Inactivation of *lac Z* gene expression by UV light and bound DNA photolyase implies formation of extended complexes in the genomes of specific *Escherichia coli* strains 249

Lidell S, Bownes M: Characterization, molecular cloning and sequencing of YP3<sup>s1</sup>, a fertile yolk protein 3 mutant in Drosophila 81

Lin L-L, Thomson JA: Cloning, sequencing and expression of a gene encoding a 73 kDa xylanase enzyme from the rumen anaerobe *Butyrivibrio fibrisolvens* H17c 55

Lineruth K → Bownes M 324 Link G → Nickelsen J 89 Lobo JMG → Seoane A 215

Lodge JK, Weston-Hafer K, Berg DE: Tn5 insertion specificity is not influenced by IS50 end sequences in target DNA 312 Lönneborg A → Klemsdal SS 9

Luchetta P, Crétin C, Gadal P: Organization and expression of the two homologous genes encoding the NADP-malate dehydrogenase in *Sorghum vulgare* leaves 473

Lyra C, Savilahti H, Bamford DH: Highfrequency transfer of linear DNA containing 5'-covalently linked terminal proteins: electroporation of bacteriophage PRD1 genome into Escherichia coli 65

Machida Y → Okamoto S 24

Maliga P → Svab Z 316

Malpartida F → Caballero JL 372

Mansouri K, Piepersberg W: Genetics of streptomycin production in Streptomyces griseus: nucleotide sequence of five genes, strFGH1K, including a phosphatase gene 459

Marrs BL → Bauer CE 433
Maršić N → Brčić-Kostić K 136
Martin J → Cunningham C 320
Martineau B, McBride KE, Houck CM:
Regulation of metallocarboxypeptidase
inhibitor gene expression in tomato 281
Masaki A → Tatsumi H 97
Matsuno R → Nagano Y 62

Matsunok M, Numazawa T: Cis-acting elements in the pyruvate, orthophosphate dikinase gene from maize 143

Mazin AV → Dianov GL 153

gene 486

Mauchline D → Bownes M 324
Mazin AV, Kuzminov AV, Dianov GL,
Salganik RI: Mechanisms of deletion
formation in *Escherichia coli* plasmids.
II. Deletions mediated by short direct repeats 209

McBride KE → Martineau B 281
McPherson CA → Cunningham C 320
Menassa R → Brown GG 345
Meyer C → Pouteau S 233
Michaelis G → Behrens M 167
Michiels J, Vande Broek A, Vanderleyden
J: Molecular cloning and nucleotide sequence of the Rhizobium phaseoli rec A

Michielsen P → Govers F 160 Milic M → Rakonjac J 307 Mittelsten Scheid O, Paszkowski J, Potrykus I: Reversible inactivation of a transgene in Arabidopsis thaliana 104

Miyazaki J, Juricek M, Angelis K, Schnorr KM, Kleinhofs A, Warner RL: Characterization and sequence of a novel nitrate reductase from barley 329 Motai H → Tatsumi H 97

Murakami K → Tatsumi H 97 Murakami S → Tatsumi H 97 Murray J → Broughton BC 470

Nacken WKF, Piotrowiak R, Saedler H, Sommer H: The transposable element Tam1 from Antirrhinum majus shows structural homology to the maize transposon En/Spm and has no sequence specificity of insertion 201

Nagano Y, Matsuno R, Sasaki Y: An essential gene of *Escherichia coli* that has sequence similarity to a chloroplast gene of unknown function 62
Nakamura K → Ichii C 33

Nakamura K → Ichii C 33 Nakano E → Tatsumi H 97

Nickelsen J, Link G: RNA-protein interactions at transcript 3' ends and evidence for trnK-psbA cotranscription in mustard chlorop!asts 89

Nijkamp HJJ → Rommens CMT 453 Numazawa T → Matsuoka M 143 O'Gara F → O'Sullivan DJ 1 Okamoto S, Toyoda-Yamamoto A, Ito K, Takebe I, Machida Y: Localization and orientation of the VirD4 protein of Agrobacterium tumefaciens in the cell membrane 24

Olsen OA → Klemsdal SS 9

O'Sullivan DJ, O'Gara F: Regulation of iron assimilation: nucleotide sequence analysis of an iron-regulated promoter from a fluorescent pseudomonad 1

Ouwerkerk PBF → Rommens CMT 453 Overhoff B, Klein M, Spies M, Freudl R: Identification of a gene fragment which codes for the 364 amino-terminal amino acid residues of a SecA homologue from Bacillus subtilis: further evidence for the conservation of the protein export apparatus in gram-positive and gram-negative bacteria 417

Paszkowski J → Mittelsten Scheid O 104 Perl A, Aviv D, Galun E: Nuclear-organelle interaction in Solanum: Interspecific cybridizations and their correlation with a plastome dendrogram 193

Peters SE, Hobman JL, Strike P, Ritchie DA: Novel mercury resistance determinants carried by *IncJ* plasmids pMERPH and R391 294
Petersen G → Seifarth W 424

Petrovics G → Baev N 113 Piepersberg W → Mansouri K 459 Piotrowiak R → Nacken WKF 201 Ponstein AS → Leij FR van der 240

Potrykus I → Mittelsten Scheid O 104

Pouteau S, Spielmann A, Meyer C, Grandbastien M-A, Caboche M: Effects of Tnt1 tobacco retrotransposon insertion on target gene transcription 233

Pratje E → Behrens M 167 Prins M → Govers F 160

Rakonjac J, Milic M, Savic DJ: cysB and cysE mutants of Escherichia coli K12 show increased resistance to novobiocin 307

307
Rhen M → Taira S 381
Riikonen P → Taira S 381
Ritchie DA → Peters SE 294
Riva M → Seifarth W 424
Rommens CMT, Biezen EA van der,
Ouwerkerk PBF, Nijkamp HJJ, Hille J:
Ac-induced disruption of the double Ds
structure in tomato 453

Saarilahti H → Taira S 381
Saedler H → Nacken WKF 201
Salaj-Šmic E → Brčić-Kostić K 136
Salganik RI → Dianov GL 153
Salganik RI → Mazin AV 209
Sandeman RA, Hynes MJ, Fincham JRS,
Connerton IF: Molecular organisation
of the malate synthase genes of Aspergillus nidulans and Neurospora crassa 445

Rousset S → Cundari E 335

Sano H, Youssefian S: A novel ras-related rgp 1 gene encoding a GTP-binding protein has reduced expression in 5-azacytidine-induced dwarf rice 227

Sasaki Y → Nagano Y 62

Savic DJ → Rakonjac J 307 Savilahti H → Lyra C 65 Schimke RT → Gallie DR 258 Schnorr KM → Miyazaki J 329

Scholzen T, Arndt É: Organization and nucleotide sequence of ten ribosomal protein genes from the region equivalent to the spectinomycin operon in the archaebacterium *Halobacterium marismortui* 70

Schweizer HP, Datta P: Physical linkage and transcriptional orientation of the tdc operon on the Escherichia coli chromosome 125

Scott-Craig JS, Guerinot ML, Chelm BK: Isolation of *Bradyrhizobium japonicum* DNA sequences that are transcribed at high levels in bacteroids 356

Seifarth W, Petersen G, Kontermann R, Riva M, Huet J, Bautz EKF: Identification of the genes coding for the secondlargest subunits of RNA polymerases I and III of *Drosophila melanogaster* 424

Seoane A, Lobo JMG: Nucleotide sequence of a new class A  $\beta$ -lactamase gene from the chromosome of *Yersinia* enterocolitica: Implications for the evolution of class A  $\beta$ -lactamases 215 Servos S  $\rightarrow$  Garbe T 385

Shimamoto K → Kyozuka J 40
Shoemaker R → Landau-Ellis D 221
Singh M → Brown GG 345
Somers DA → Frisch DA 287
Sommer H → Nacken WKF 201
Spielmann A → Pouteau S 233
Spies M → Overhoff B 417

Stevenson JK, Drager RG, Copertino DW, Christopher DA, Jenkins KP, Yepiz-Plascencia G, Hallick RB: Intercistronic group III introns in polycistronic ribosomal protein operons of chloroplasts

183

Stiege AC → Alonso JC 393

Stirnberg P → Blonstein AD 361

Stojiljković I → Brčić-Kostić K 136

Strike P → Peters SE 294

Sukupolvi S → Taira S 381

Svab Z, Maliga P: Mutation proximal to the tRNA binding region of the Nicotiana plastid 16S rRNA confers resisting

ance to spectinomycin 316

Swindell S → Horn N 129

Taira S, Riikonen P, Saarilahti H, Sukupolvi S, Rhen M: The *mka C* virulence gene of the *Salmonella* serovar Typhimurium 96 kb plasmid encodes a transcriptional activator 381

Takebe I → Okamoto S 24

Tatsumi H, Murakami S, Tsuji RF, Ishida Y, Murakami K, Masaki A, Kawabe H, Arimura H, Nakano E, Motai H: Cloning and expression in yeast of a cDNA clone encoding Aspergillus oryzae neutral

rotease II, a unique metalloprotease 97
Thomson JA → Lin L-L 55
Tommey AM → Frisch DA 287
Toyoda-Yamamoto A → Okamoto S 24
Trgovčević Ž → Brčić-Kostić K 136
Tsuji RF → Tatsumi H 97
Turc B, Deleu C, Denayrolles M, Bégueret

J: Two allelic genes responsible for vege-

tative incompatibility in the fungus *Podospora anserina* are not essential for cell viability 265

Vande Broek A → Michiels J 486 Vanderleyden J → Michiels J 486 Verdière J, Gaisne M, Labbe-Bois R: CYP1 (HAP1) is a determinant effector of alternative expression of heme-dependent transcription in yeast 300 Visser RGF → Leij FR van der 240

Walbot V → Gallie DR 258
Warner RL → Miyazaki J 329
Watts FZ → Broughton BC 470
Wésolowski-Louvel M → Goffrini P 401
Weston-Hafer K → Lodge JK 312
Wuenscher MD, Köhler S, Goebel W,
Chakraborty T: Gene disruption by plasmid integration in Listeria monocytogenes: Insertional inactivation of the listeriolysin determinant lis A 177

Yamashita I → Yoshimoto H 270
Yang Z → Bauer CE 433
Yepiz-Plascencia G → Stevenson JK 183
Yoshimoto H, Yamashita I: The GAM1/
SNF2 gene of Saccharomyces cerevisiae
encodes a highly charged nuclear protein
required for transcription of the STA1
gene 270
Young D → Garbe T 385
Youssefian S → Sano H 227

Indexed in Current Contents